

Miller® Flame Retardant Lanyard

Product description

The KMAX lanyard has been designed for use in applications where hot sparks or molten materials may come into contact with the lanyard. Perfect for workers who need to weld, grind or work with hot applications at height.



FEATURES

- The KMAX lanyard is perfect for situations where it may come into contact with hot sparks or materials when working at height.
- Manufactured from specialized KEVLAR® webbing, the lanyard is capable of withstanding contact from sparks and welding spatter.
- The external energy absorber has a visual indicator which shows if the lanyard has sustained a fall.
- The standard KMAX lanyard is available with 19mm opening hooks at each end.
- For use in fall arrest situations where the free fall does not exceed 2 metres.
- When estimating free fall distances, the extension of the energy absorber must be taken into consideration.

Technical Information

- 100% Kevlar webbing
- Colour—Black
- Weight 1.3kg

APPLICATIONS

- Welding at height
- Grinding or hot work applications
- EWP work
- Scaffolding
- Tower Work
- Construction & Maintenance

Standards

Certified to Australian and New Zealand Standards AS/NZS 1891.1 - 2007.

Ask about our range of OPTREL welding helmets to complement the KMAX harness and lanyard.

Kevlar®, Nomex® and Teflon® are registered trademarks of E.I du Pont.

Ordering Details

PART NO.	DESCRIPTION	STYLE	MATERIAL	LENGTH	TERMINATIONS	MIN QTY	CAT	PACKAGE DIMENSIONS	BARCODE
L11KEC2.0	KMAX lanyard	Single	Kevlar	2m	19mm hook e/end	1	A	410 x 240 x 55	9333633002044

WARNING! THIS DOCUMENT PROVIDES AN OVERVIEW OF PERSONAL PROTECTIVE PRODUCTS AVAILABLE FROM HONEYWELL SAFETY PRODUCTS AND CARE HAS BEEN TAKEN TO ASSURE THE ACCURACY OF THE DATA. IT DOES NOT PROVIDE IMPORTANT PRODUCT WARNINGS AND INSTRUCTIONS. HONEYWELL SAFETY PRODUCTS RECOMMENDS ALL USERS OF ANY PERSONAL PROTECTIVE EQUIPMENT UNDERGO THOROUGH TRAINING, AND THAT ALL WARNINGS AND INSTRUCTIONS PROVIDED WITH THE PRODUCTS BE THOROUGHLY READ AND UNDERSTOOD PRIOR TO EACH USE. FAILURE TO READ AND FOLLOW ALL PRODUCT WARNINGS AND INSTRUCTIONS COULD RESULT IN SERIOUS INJURY.

Honeywell Safety Products Australia Pty Ltd

Australia 1300 139 166
New Zealand 0800 322 200
www.honeywellsafety.com