



Fall Protection

3M | SALA  
NANO-LOK™

3M | SALA  
NANO-LOK™

DBI SALA  
3M

Introducing the new 3M™ DBI-SALA®  
Nano-Lok™ Personal Self-Retracting Lifeline

Light on  
weight.  
Heavy on  
features.



# Less is more.

30% smaller and 4X more durable

Introducing the new 3M™ DBI-SALA® Nano-Lok™ Personal Self-Retracting Lifeline. Trusted for its reliability and durability, the Nano-Lok has been the industry's go-to personal SRL for many years. Our latest version not only matches the performance of the outgoing model, it surpasses it. It's sleeker with a more compact design. It's tougher with the longer-lasting cover. And it's easier to use and faster to connect.\* All whilst complying with CE EN 360:2002.



**Next generation features:**

**Saves time**


- Installs 60% faster\*
- Inspect easily and quickly

**Built to last**

- Nitrile rubber cover lasts 4X longer than outgoing model\*

**Tie-off versatility**

- Foot-level tie off with 140 kg capacity



**Fast connection system**

Simple, light-weight connector allows backward compatibility

**Optional twin pin connector**

Easily add or remove Nano-Lok legs without removing the connector from the harness



Compact housing

Built-in RFID tag

Sleek, durable nitrile rubber energy absorber

Length: 2 m\*\*

\*Compared to previous generation.

\*\*Most models 2m, variations in top and bottom connectors mean some models measure between 1.9 m or 2.1 m.

# 3M™ DBI-SALA® Nano-Lok™ Single-leg range

Part Number	Item ID	Image	Market Place Formal Name	Top connector (Housing side) Specific feature / application	Bottom connector (Lanyard end) Specific feature / application
3101330	70007455226		Nano-Lok™ Single Leg SRL with Quick Connector & Steel Snap Hook	 <p><b>Steel Fast Connection System</b></p> <ul style="list-style-type: none"> <li>Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation</li> </ul>	 <p><b>Steel Snap Hook</b> 19 mm (3/4") opening</p>
3101331	70007444188		Nano-Lok™ Single Leg SRL with Quick Connector & Aluminium Scaff Hook	 <p><b>Steel Fast Connection System</b></p> <ul style="list-style-type: none"> <li>Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation</li> </ul>	 <p><b>Aluminium Hook</b> 57 mm (2-1/4") opening</p>
3101332	70007444196		Nano-Lok™ Single Leg SRL with Quick Connector & Steel Snap Hook	 <p><b>Steel Fast Connection System</b></p> <ul style="list-style-type: none"> <li>Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation</li> </ul>	 <p><b>Steel Swivel Snap Hook</b> 19 mm (3/4") opening</p>
3101333	70007444204		Nano-Lok™ Single Leg SRL with Quick Connector & Steel Snap Hook	 <p><b>Steel Fast Connection System</b></p> <ul style="list-style-type: none"> <li>Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation</li> </ul>	 <p><b>Steel Hook</b> 57 mm (2-1/4") opening</p>
3101335	70007943502		Nano-Lok™ Single Leg SRL with Quick Connector & Tripple Action Karabiner	 <p><b>Steel Fast Connection System</b></p> <ul style="list-style-type: none"> <li>Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation</li> </ul>	 <p><b>Stainless Steel Karabiner (TA)</b> 19 mm (3/4") opening</p>
3101336	70007444212		Nano-Lok™ Single Leg SRL with Cab Mount & Steel Snap Hook	 <p><b>Cab Mount</b></p> <ul style="list-style-type: none"> <li>Connects to stock picker cab</li> </ul>	 <p><b>Steel Swivel Snap Hook</b> 19 mm (3/4") opening</p>
3101338	70007444220		Nano-Lok™ Single Leg SRL with Connecting Eye & Aluminium Scaff Hook	 <p><b>Connecting Eye</b></p>	 <p><b>Aluminium Hook</b> 57 mm (2-1/4") opening</p>
3101339	70007455234		Nano-Lok™ Single Leg SRL with Steel karabiner both ends	 <p><b>Steel Karabiner (TA)</b> 19 mm (3/4") opening</p> <ul style="list-style-type: none"> <li>Economical solution</li> </ul>	 <p><b>Steel Karabiner (TA)</b> 19 mm (3/4") opening</p>
3101340	70007931119		Nano-Lok™ Single Leg SRL with Stainless Steel karabiner both ends	 <p><b>Stainless Steel Karabiner (TA)</b> 19 mm (3/4") opening</p> <ul style="list-style-type: none"> <li>Economical solution</li> </ul>	 <p><b>Stainless Steel Karabiner (TA)</b> 19 mm (3/4") opening</p>

Part Number	Item ID	Image	Market Place Formal Name	Top connector (Housing side) Specific feature / application	Bottom connector (Lanyard end) Specific feature / application
3101341	70007937330		Nano-Lok™ Single Leg SRL with Stainless Steel karabiner & Aluminium Scaff Hook	 <b>Stainless Steel Karabiner (TA)</b> • 19 mm (3/4") opening • Economical solution	 <b>Aluminium Hook</b> 57 mm (2-1/4") opening
3101342	70007931986		Nano-Lok™ Single Leg SRL with Tripple Action Steel karabiner & Steel Scaff Hook	 <b>Steel Karabiner (TA)</b> • 19 mm (3/4") opening • Economical solution	 <b>Steel Hook</b> 57 mm (2-1/4") opening
3101343	70804430034		Nano-Lok™ Single Leg SRL with Quick Connector & Steel Karabiner	 <b>Steel Fast Connection System</b> • Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation	 <b>Steel Karabiner (TA)</b> 19 mm (3/4") opening
3101709	70804501743		Nano-Lok™ Single Leg SRL with Aluminium Karabiner & Aluminium Comfort Hook	 <b>Aluminium Carabiner</b> 19 mm (3/4") opening • Connects to a D-Ring attachment point on a fall arrest harness	 <b>Aluminium Hook Comfort Grip</b> 63.5 mm (2-1/2") opening • Helps protect users hand • Heavy-duty • Ideal for cross-loading

### 3M™ DBI-SALA® Nano-Lok™ Twin-leg range

Part Number	Item ID	Image	Market Place Formal Name	Top connector (Housing side) Specific feature / application	Bottom connector (Lanyard end) Specific feature / application
3101345	70007455242		Nano-Lok™ Twin Leg SRL with Quick Connector & Steel Scaff Hook	 <b>Steel Fast Connection System</b> • Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation	 <b>Steel Hook</b> 57 mm (2-1/4") opening
3101346	70007444246		Nano-Lok™ Twin Leg SRL with Quick Connector & Aluminium Scaff Hook	 <b>Steel Fast Connection System</b> • Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation	 <b>Aluminium Hook</b> 57 mm (2-1/4") opening
3101718	70804506031		Nano-Lok™ Twin Leg SRL with Quick Connector & Aluminium Comfort Hook	 <b>Steel Fast Connection System</b> • Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation	 <b>Aluminium Hook Comfort Grip</b> 63.5 mm (2-1/2") opening • Helps protect users hand • Heavy-duty • Ideal for cross-loading
3101719	70804506049		Nano-Lok™ Twin Leg SRL with Quick Connector & Aluminium Scaff Hook	 <b>Steel Fast Connection System</b> • Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation	 <b>Aluminium Hook</b> 63.5 mm (2-1/2") opening

# 3M™ DBI-SALA® Nano-Lok™ Self Retracting Lifelines for Hot Work Use

Part Number	Item ID	Image	Market Place Formal Name	Top connector (Housing side) Specific feature / application	Bottom connector (Lanyard end) Specific feature / application
3101521	70007445672		Nano-Lok™ Twin Leg SRL with Quick Connector & Steel Scaffold Hook -For Hot Works	 <b>Steel Fast Connection System</b> • Connects through the harness dorsal web - leaving the dorsal D-ring free for rescue operation	 <b>Steel Hook</b> • 57 mm (2-1/4") opening • Popular model
3101523	70007445680		Nano-Lok™ Twin Leg SRL with Steel Karabiner & Steel Snap Hook -For Hot Works	 <b>Steel Karabiner (TA)</b> • 19 mm (3/4") opening • Economical solution	 <b>Steel Snap Hook</b> • 19 mm (3/4") opening • Economical solution
3101524	70007455838		Nano-Lok™ Twin Leg SRL with Twin-leg Connector & Steel Scaffold Hook -For Hot Works	 <b>Twin-Leg Connector</b> • Connects through the harness dorsal web	 <b>Steel Hook</b> • 57 mm (2-1/4") opening • Popular model

Top connectors can be ordered separately using the following references

Part Number	Image	Description
2000025		Aluminium Carabiner 19mm(3/4") opening
3100480		Fast Connection System (For use only with 3M™ DBI-SALA® Nano-Lok™)
3100483		Twin Pin Connector (For use only with Nano-Lok™)



**3M Australia Pty Ltd**  
**Personal Safety Division**  
 Bldg A, 1 Rivett Road  
 North Ryde NSW 2113  
 TechAssist Helpline: 1800 024 464  
 Customer Service: 1300 363 565  
 Email: techassist@mmm.com  
 Web: www.3M.com/au/ppesafety

**3M New Zealand Ltd**  
**Personal Safety Division**  
 94 Apollo Drive, Rosedale  
 Auckland 0632  
 TechAssist Helpline: 0800 364 357  
 Customer Service: 0800 252 627  
 Email: techassist@mmm.com  
 Web: www.3M.com/nz/ppesafety

3M is a trademark of 3M Company.  
 Please recycle. Printed in Australia.  
 © 3M 2019. All rights reserved.  
 AV019443959